




Lighting Design
LED Lights

Since 2004


Track Lights Catalogue






T-03

Code: t-03
Luminous flux: 1200 lm
Color temperature: 3000K, 4000K
Power(Watt) : 12
Voltage: 220 VAC
CRI>90
Body: Aluminum
Beam Angel: 45° - 15°
Color: ☐ ☒



T-04

Code: t-04
Luminous flux: 2950 lm
Color temperature: 3000K, 4000K
Power(Watt) : 25
Voltage: 220 VAC
CRI>85
Body: Aluminum
Beam Angel: 45° - 15°



T-05




Code: t-05
Luminous flux: 700 lm
Color temperature: 3000K, 4000K
Power(Watt): 7
Voltage: 220 VAC
CRI>90
Body: Aluminum
Beam Angel: 45°
Color: ☐ ☒






ST1- RAIL

Code: ST1
Installation: Surface
Body: Aluminium
2 or 4 isolated copper
1 or 3 Phase





HT-1 Rail

Code: HT1
Installation: Pendant
Body: Aluminium
Powder Coated
4 isolated copper
3 Phase



ST2- RAIL (Trimless Recessed)

Code: ST2
Installation: Recessed
Body: Aluminium
2 or 4 isolated copper
1 or 3 Phase
Trimless
Cut Size: 35 mm





www.fadco.ir

No.20, South Kaveh Blv, Sadr Highway, Tehran- IRAN

 info@fadco.ir

 +982122639163

 +989361544367

 [fadlighting](https://www.instagram.com/fadlighting)