





Lighting Design
LED Lights

Since 2004

Wall Lights Catalogue




WALL LIGHTS

372	FLP09 W	
374	Mila	
376	Violet	
376	Violet Mini	
378	Pipe Light	
378	Mini Pipe Light	
380	PANIZ L TR-M	
380	PANIZ L TR-B	
382	PANIZ S - TR	
384	PANIZ S - TR -MINI	



FLP-09W
WALL SURFACE
UP/DOWN LIGHT



Dimension

Length	Width	Heights
Up To 2800mm	63mm	130mm

CCT

3000K
4000K
TW

Section




Finish

Or Custom Color

Installation

Wall Surface





MILA

Code: MILA
 Luminous flux: 900 ~ 2700 lm
 Color temperature: 3000K, 4000K
 Power (Watt) : 12 ~ 36
 Voltage: 12 VDC
 CRI>80
 Installation: Wall Surface
 Body: Aluminium
 Color: ☐ ☐
 Or Custom Color




1000 ~ 3000 mm






VIOLET


Code: violet
Luminous flux: 1620 lm
Color temperature: 3000K, 4000K
Power(watt): 22
Voltage: 12 VDC
CRI>80
Installation: Wall
Body: Polycarbonate/ Aluminium



VIOLET MINI

Code: violet mini
Luminous flux: 1980 ~ 5940 lm
Color temperature: 3000K, 4000K
Power(watt): 22 ~ 66
Voltage: 12 VDC
CRI>80
Installation: Wall
Body: Polycarbonate/ Aluminium






PIPE LIGHT

Code: Pipe Light
Luminous flux: 900 lm
Color temperature: 3000K, 4000K
Power (Watt) : 10
Voltage: 220 VAC
CRI>80
Installation: Surface
Body: Aluminum

IP20

CE

RoHs



MINI PIPE LIGHT


Code: Mini Pipe Light
Luminous flux: 540 lm
Color temperature: 3000K, 4000K
Power (Watt) : 6
Voltage: 220 VAC
CRI>80
Installation: Surface
Body: Aluminum

IP20

CE


RoHs





PANIZ-L-TR-M



Code: P-L-M
Luminous flux: 220 lm
Color temperature: 3000K, 4000K
Power (Watt) : 3
Voltage: 220 VAC
Installation: Recessed
Body: Gypsum
Cut Size: 85X170mm



PANIZ-L-TR-B

Code: P-L-B
Luminous flux: 220 lm
Color temperature: 3000K, 4000K
Power(Watt) : 3
Voltage: 220 VAC
Installation: Recessed
Body: Gypsum
Cut Size: 250X115mm





PANIZ-S-TR


Code: P-S-TR
Luminous flux: 540 lm
Color temperature: 3000K, 4000K
Wattage: 6 W
Voltage: 220 VAC
CRI>80
Installation: Recessed
Body: Gypsum
Cut Size: ∇ 100X100mm





PANIZ-S-TR-MINI

Code: P-S-TR-MINI
Luminous flux: 220 lm
Color temperature: 3000K, 4000K
Power (Watt) : 3
Voltage: 220 VAC
Installation: Recessed
Body: Gypsum
Cut Size: 100X100mm



www.fadco.ir

No.20, South Kaveh Blv, Sadr Highway, Tehran- IRAN

 info@fadco.ir

 +982122639163

 +989361544367

 [fadlighting](https://www.instagram.com/fadlighting)